

# M.S. Swaminathan Research Foundation, Kannivadi AgroMet Advisory Bulletin (AAB) for

#### **MADURAI District**

Forecast Period: July 27<sup>th</sup> – July 31<sup>st</sup>, 2016

E mail:rengalakshmi@mssrf.res.in Phone no. 044-22541229 Fax: 044-22541319



Date: 26.07.2016

**Bulletin No: MSSRF/MDR/060(07)/2016** 

**Significant past weather from 22-07-2016 to 25-07-2016** 

Parameters	Past weather				
Rainfall (mm)	1.5				
Maximum Temperature (°C)	35-36				
Minimum Temperature (°C)	25-27				
Sky condition (Octas)	5-7				
Relative humidity (%)	47-67				
Wind speed (kmph)	13-21				

#### Ensemble Weather forecast until 0830 hrs of 31.07.16

Parameters	Ensemble FCST					
	27.07.16	28.07.16	29.07.16	30.07.16	31.07.16	
Rainfall (mm)	48	6	22	10	6	
Maximum Temperature (°C)	36	36	36	35	35	
Minimum Temperature (°C)	25	25	25	26	26	
Sky condition (Octas)	7	7	7	7	7	
Max. Relative humidity (%)	68	68	68	70	70	
Min. Relative humidity (%)	62	62	62	60	60	
Wind speed (kmph)	18	18	18	18	18	
Wind direction	NW	NW	NW	NW	NW	

#### **SMS Advisory:**

During next five days moderate rain may occur in all the places with a cool and cloudy atmosphere During next five days moderate rain may occur in all the places with a cool and cloudy atmosphere.

### Weather Based Agro-Advisories

## Imp. Crops: Rice and Sugarcane

- Stem borer incidence is noticed in paddy crop. Hence farmers are advised to spray any one of the following Quinalphos 25 EC1000 ml/ha (or) Phosphamidon 40 SL 600 ml/ha (or) Profenophos 50 EC 1000 ml/ha.
- Drain the excess water from the paddy fields leaving thin film of water.
- To control grassy shoot in sugarcane spray with dimethoate @ 1ml/lit.
- Do not allow the animals to graze on newly grown grasses, due to the receipt of last week rain.

Principal Coordinator **MSSRF**