

### Gramin Krishi Mausam Sewa (GKMS) for Nagappattinam District Forecast Period: 22<sup>th</sup> JUNE to 26<sup>th</sup> JUNE, 2016



Tamil Nadu Rice Research Institute, Aduthurai- 612 101 Phone: 0435 2472098 E-mail: <u>dirtrri@tnau.ac.in</u> Fax: 0435 2472881

Date: 21.06.16

### Weather for the past four days (17.06.2016–20.06.2016)

Parameters	Past	
	weather	
Rainfall (mm)	16.0	
Maximum temperature (°C)	35 - 37	
Minimum temperature (°C)	25 - 26	
Cloud cover (Octa)	5 – 7	
Relative humidity (%)	64 - 81	
Wind speed (km/ hr)	8 - 10	

# Weather forecast for the next five days (until 08:30 hrs of 26.06.2016)

Parameters	Ensemble FCST				
	Day 1 22.06.2016	Day 2 23.06.2016	Day 3 24.06.2016	Day 4 25.06.2016	Day 5 26.06.2016
Rainfall (mm)	2	8	2	0.5	0.5
Maximum temperature (°C)	35	34	34	35	35
Minimum temperature (°C)	25	24	24	25	25
Cloud cover (Octa)	5	7	7	5	5
Relative humidity (%)	70 - 75	82 - 80	82 - 80	70 - 75	70 - 75
Wind speed (kmph)	9	9	9	9	9
Wind direction	South	South	South	South	South

The sky will be mostly cloudy. A light to moderate rainfall 0.5 - 8 mm is expected on next five days.

## Weather based Agro-Advisories

### **Crop: Rice, Black gram, Sesame, Sugarcane, Cotton Stage: Rice fallow cotton – Flowering stage**

- Since light to moderate rainfall is expected, harvesting of blackgram & sesame can be done with precaution.
- For SRI cultivation, prepare 2.5 cent raised bed nursery for 1 ha planting. Broadcast uniformly 5 kg of pre germinated seeds over it. Sprinkle water in the bed during morning and evening using rose cane. Maintain standing water in the channel around the beds from 6<sup>th</sup> day of sowing. Sprinkle 0.5 % urea solution on 9<sup>th</sup> day after sowing. Stop irrigation two days before pulling out of seedlings. The seedlings will be ready at 14 days after sowing.
- For kuruvai nursery, an area of 20 cents can be allotted for planting 1 ha with the application of FYM or compost @ 1 ton. Before the last puddling, apply 40 kg DAP. For clay soil, 4 kg gypsum and 1 kg DAP/cent can be applied 10 days prior to pulling out of seedlings to avoid root snapping.