



**Pandit Jawaharlal Nehru College of Agriculture and  
Research Institute, Karaikal - 609 603**

**Agromet Advisory Bulletin (AAB) for  
PUDUCHERRY District**

**Forecast Period : 18<sup>th</sup> May to 22<sup>nd</sup> May 2016**



Phone No. 04368 – 261182 E-mail: [agronaas2012@gmail.com](mailto:agronaas2012@gmail.com)

Fax: 04368-261260

**Bulletin No.040 (05)/PJN/GKMS/2016**

**Date: 17.05.16**

**Significant past weather from 13.05.16 to 16.05.16**

Parameters	Past Weather
Rainfall (mm) (Rainy Day)	0.6
Maximum temperature (°C)	35-37
Minimum temperature (°C)	27-28
Sky condition (Octas)	5-8
Relative humidity (%)	68-100
Wind (km/hr)	2-5

**Weather forecast until 08.30 hrs of 22.05.2016**

Parameters	Ensemble FCST				
	DAY-1 18.05.16	DAY-2 19.05.16	DAY-3 20.05.16	DAY-4 21.05.16	DAY-5 22.05.16
Rainfall (mm)	120	85	25	20	1
Maximum temperature (°C)	27	27	27	28	29
Minimum temperature (°C)	24	24	24	25	25
Sky condition (Octas)	8	8	8	7	7
Relative humidity (%)	95-98	95-98	95-98	90-94	90-94
Wind (km/hr)	24	17	20	24	17
Wind direction	S	SSW	SW	WSW	W

**SMS Advisory:**

- ❖ Heavy rain may occur on 18<sup>th</sup> & 19<sup>th</sup> May and later the intensity will decrease till 22<sup>nd</sup> May with a windy, cool and cloudy weather.

**Weather based Agro-Advisories**

- Summer showers shall be utilized for summer ploughing to increase soil moisture and to control weeds, pest and diseases.
- In case of additional irrigation facilities are available; dry crops like Ragi, Thenai, Samai, Panivaragu and Sesame can be cultivated.
- To control brown plant hopper in rice, apply Neem oil 3% or Methyl demeton 25 EC 1500 ml/ha or Acephate 75 % SP 666-1000 g/ha or Azadirachtin 0.03% 1000 ml/ha or Imidacloprid 17.8 SL 100-125 ml/ha.
- To control shoot and fruit borer in Bhendi, apply Emamectin benzoate 5 SG @ 135 g/ha.
- To control shoot and fruit borer in Brinjal, apply Emamectin benzoate 5 SG @ 200 g/ha.

**Prof. & Head  
(Agronomy)**

**DEAN  
PAJANCOA & RI**