

Weather Summary for the period since the issue of last bulletin 056 (13.07.2021) for Tamil Nadu. Maximum temperature ranged from 29°C to 39°C and minimum temperature ranged from 20°C to 28°C, over the State. Kodaikanal and Uthagamandalam recorded maximum temperature ranged from 14°C to 22°C and minimum temperature ranged from 10°C to 12°C.During this period isolated rainfall was observed in Tamil Nadu.

Weather Summary for Tiruppur district

Past week Summary (13.07.2021 to 15.07.2021)				Ensemble weather forecast valid until 08.30 hrs of 21.07.2021				
13/07	14 /07	15/07	Date	Day-1 17/07	Day-2 18/07	Day-3 19/07	Day-4 20/07	Day-5 21/07
0.3	0.3	5.0	Rainfall (mm)	5	8	6	4	2
31	32	31	Max. Temp. (° C)	30	30	30	30	31
22	22	21	Mini. Temp. (° C)	23	23	23	23	23
7	7	7	Cloud cover (Octa)	8	8	8	8	7
93	85	82	RH morning (%)	90	90	90	90	85
51	67	87	RH evening (%)	60	60	65	60	60
17	19	10	Wind (kmph)	10	10	15	12	15
270	230	230	Wind Direction	230	230	230	230	230

Weather forecast for next five days (17.07.2021 to 21.07. 2021)

According to district forecast issued by the India Meteorological Department for Tiruppur district, sky will be cloudy. Light to moderate rainfall is expected. Maximum temperature is expected to be around 30°C to 31°C. Minimum temperature is expected to be around 23°C. Morning relative humidity is expected to be around 85 to 90 per cent and evening relative humidity is expected to be around 60 to 65 per cent. Average wind speed is expected to be around 10 to 15 km per hour and the wind direction will be from South west direction.

Agro Advisory

Crop	Stage	Advisory
General		Moderate rainfall along the western ghats and isolated rain in plains of
		western zone districts is expected. Irrigation may be postponed based
		on soil moisture.
		Rain along with wind speed around 10 km/hour is expected. Proper
		support must be provided to banana, sugarcane and other tall growing
		trees.
Sorghum	Vegetative	If rainfall received is more than 15mm, apply Urea @ 25 kg/ha to
		rainfed sorghum.
Sugarcane	Vegetative	Detrashing and propping may be done in six months old sugarcane to
		protect against anticipated high wind speed and rainfall.
Gourds	Land	Best season for sowing gourds vegetable is between July 20 th and 30th
Vegetable	preparation	Hence dig the pit by utilizing the anticipated rainfall.
Banana		Rain may be accompanied with high wind speed of >15 km/hour.
		Provide adequate stacking to 5 months old and above banana against
		lodging.
Animal		Prevailing weather is favourable for mastitis disease in milching
		animals. Hence, use potassium permanganate for cleaning the udder
		before and after milking.
		Due to high relative humidity, animals may have more thirst for water.
		Hence, provide adequate drinking water to animals.

SMS advisory

> If rainfall received is more than 15mm, apply Urea @ 25 kg/ha to rainfed sorghum.

Professor and Head Principal Nodal Officer (GKMS) Agro Climate Research Centre