



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **ANNAVASAL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	63	62	62	59
RH-II(%)	47	44	42	40	41
Wind Speed(kmph)	16.0	12.0	12.0	12.0	12.0
Wind Direction(Degree)	213	239	238	234	224
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 31.2°C and 35.1°C and the minimum temperature would be in the range 22.4°C- 25.1°C . Cloudy sky will appear . Wind speed is expected to be 13 to 17 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **ARANTANGI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	63	62	62	60
RH-II(%)	47	43	42	40	41
Wind Speed(kmph)	16.0	13.0	13.0	12.0	13.0
Wind Direction(Degree)	212	237	236	232	222
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 35.6°C and 37.4°C and the minimum temperature would be in the range 28.8°C- 30.2°C . Cloudy sky will appear . Wind speed is expected to be 13 to 22 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **ARIMALAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	62	62	61	59
RH-II(%)	47	43	42	40	41
Wind Speed(kmph)	16.0	12.0	12.0	11.0	11.0
Wind Direction(Degree)	209	236	235	231	221
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 31.7°C and 34.7°C and the minimum temperature would be in the range 22.7°C- 25.4°C . Cloudy sky will appear . Wind speed is expected to be 11 to 18 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **AVADAIYARKOVIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	63	63	62	60
RH-II(%)	47	43	42	40	41
Wind Speed(kmph)	17.0	14.0	14.0	13.0	14.0
Wind Direction(Degree)	213	237	236	232	223
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 35.2°C and 37.1°C and the minimum temperature would be in the range 28.5°C- 29.7°C . Cloudy sky will appear . Wind speed is expected to be 15 to 25 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **GANDARAVAKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	1.0	0.0	0.0
Tmax(°C)	33.0	35.0	35.0	36.0	35.0
Tmin(°C)	28.0	28.0	28.0	28.0	28.0
RH-I(%)	64	61	61	61	59
RH-II(%)	46	44	40	40	41
Wind Speed(kmph)	19.0	16.0	15.0	14.0	14.0
Wind Direction(Degree)	220	245	244	239	230
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 32.0°C and 35.7°C and the minimum temperature would be in the range 24.7°C- 26.3°C . Cloudy sky will appear . Wind speed is expected to be 23 to 29 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **KARAMBAKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	1.0	0.0	0.0
Tmax(°C)	33.0	35.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	66	62	62	62	59
RH-II(%)	47	44	41	40	41
Wind Speed(kmph)	17.0	14.0	14.0	13.0	13.0
Wind Direction(Degree)	217	242	241	237	227
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 31.5°C and 35.2°C and the minimum temperature would be in the range 24.0°C- 26.1°C . Cloudy sky will appear . Wind speed is expected to be 14 to 18 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **KUNNANDARKOIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	7.0	0.0	0.0
Tmax(°C)	33.0	35.0	35.0	36.0	35.0
Tmin(°C)	26.0	26.0	27.0	27.0	27.0
RH-I(%)	67	64	63	63	60
RH-II(%)	47	45	41	39	40
Wind Speed(kmph)	17.0	15.0	15.0	14.0	14.0
Wind Direction(Degree)	226	250	248	244	236
Cloud Cover(Octa)	8	8	7	7	8

Weather Summary/Alert:

Chances of light rain on 08 August. Maximum temperature would be in the range 33.0°C and 36.0°C and the minimum temperature would be in the range 26.0-°C- 27.0°C . Partly cloudy sky will appear . Wind speed is expected to be 14 to 17kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **MANALMELKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	33.0	35.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	63	63	62	60
RH-II(%)	47	43	42	40	41
Wind Speed(kmph)	18.0	15.0	15.0	14.0	15.0
Wind Direction(Degree)	215	238	237	232	223
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 33.0°C and 35.0°C and the minimum temperature would be in the range 28.0°C- 27.0°C . Cloudy sky will appear . Wind speed is expected to be 14 to 18 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **PONNAMARAVATI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	63	63	62	60
RH-II(%)	47	43	41	40	40
Wind Speed(kmph)	16.0	13.0	13.0	13.0	13.0
Wind Direction(Degree)	213	238	237	233	224
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 34.0°C and 36.0°C and the minimum temperature would be in the range 28.0°C- 27.0°C . Cloudy sky will appear . Wind speed is expected to be 13 to 16 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **PUDUKKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	62	62	61	59
RH-II(%)	47	43	42	40	41
Wind Speed(kmph)	15.0	11.0	11.0	10.0	10.0
Wind Direction(Degree)	207	234	233	229	219
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 34.0°C and 36.0°C and the minimum temperature would be in the range 27.0°C- 28.0°C . Partly cloudy sky will appear . Wind speed is expected to be 10 to 15 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack gourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **THIRUVARANGULAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	62	62	61	59
RH-II(%)	47	43	42	40	41
Wind Speed(kmph)	15.0	11.0	11.0	10.0	10.0
Wind Direction(Degree)	208	234	233	229	219
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 34.0°C and 36.0°C and the minimum temperature would be in the range 28.0°C- 27.0°C . Cloudy sky will appear . Wind speed is expected to be 10 to 15 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **TIRUMAYAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	36.0	35.0	36.0	35.0
Tmin(°C)	27.0	28.0	28.0	28.0	28.0
RH-I(%)	67	62	62	61	59
RH-II(%)	47	43	42	40	41
Wind Speed(kmph)	16.0	12.0	12.0	11.0	11.0
Wind Direction(Degree)	210	236	235	231	221
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 34.0°C and 36.0°C and the minimum temperature would be in the range 28.0°C- 27.0°C . Cloudy sky will appear . Wind speed is expected to be 11 to 16 kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 05-08-2022

Weather Forecast of **VIRALIMALAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-05(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-06	2022-08-07	2022-08-08	2022-08-09	2022-08-10
Rainfall	0.0	0.0	7.0	0.0	0.0
Tmax(°C)	33.0	35.0	35.0	36.0	35.0
Tmin(°C)	26.0	26.0	27.0	27.0	27.0
RH-I(%)	67	64	64	63	60
RH-II(%)	47	45	41	39	40
Wind Speed(kmph)	17.0	15.0	15.0	15.0	14.0
Wind Direction(Degree)	227	250	249	245	237
Cloud Cover(Octa)	8	8	7	7	8

Weather Summary/Alert:

Chances of light rain on 08 August. Maximum temperature would be in the range 33.0°C and 36.0°C and the minimum temperature would be in the range 26.0-°C- 27.0°C . Partly cloudy sky will appear . Wind speed is expected to be 14 to 17kmph.

General Advisory:

Farmers are advised to download and utilize the weather and agricultural based mobile apps suggested by TNAU (TNAU AAS, Meghdoot and DAMINI).

SMS Advisory:

Land preparation work can be started for planting of paddy and horticultural crops such as vegetables, coconut etc

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	Mix 50 g of Azospirillum, 50 g of Phosphobacteria (or) 100 g Azophos and 50 g of VAM in sufficient quantity of compost or FYM and apply near feeding roots palm starting from planting. Don't mix with chemical fertilizers and pesticides.
BANANA	Staking has to be provide for the Banana plantation for protecting against wind.
BITTER GOURD	Due to the cloudy weather. Powdery mildew disease of the attack dourds vegetable crops. Powdery mildew, is especially prevalent in hot dry conditions. Spray dinocap @ 1 ml/l or carbendazim 0.5 g/l

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	During adipattam farmers can soak seed in one percent potassium chloride solution for 6 hours one day before sowing of quality seeds and leave to dry for 16 hours in the shade before sowing. Through this seed hardening treatment the young seedlings get uniform germination capacity and growth and the seedlings emerge and develop into active seedlings.

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
RAIN WATER HARVESTING	Fruit trees strengthen the basins may be taken by using previous rainfall.