



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **ANNAVASAL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	27.0	28.0	28.0	29.0
RH-I(%)	59	61	62	64	64
RH-II(%)	37	39	35	37	36
Wind Speed(kmph)	11.0	10.0	9.0	12.0	16.0
Wind Direction(Degree)	235	221	251	274	294
Cloud Cover(Octa)	8	8	8	6	7

### Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 37°C and 39 °C and the minimum temperature would be in the range 27 °C- 29 °C . Cloudy sky will appear . Wind speed is expected to be 9 to 16 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





## Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



### Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **ARANTANGI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	28.0	28.0	28.0	29.0
RH-I(%)	59	61	61	64	65
RH-II(%)	37	39	35	37	36
Wind Speed(kmph)	12.0	11.0	10.0	12.0	15.0
Wind Direction(Degree)	234	220	250	268	282
Cloud Cover(Octa)	8	8	8	6	7

#### Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 37°C and 39 °C and the minimum temperature would be in the range 28 °C- 29 °C . Cloudy sky will appear . Wind speed is expected to be 10 to 15 kmph.

#### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

#### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

#### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

#### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

#### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **ARIMALAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	28.0	28.0	28.0	29.0
RH-I(%)	59	60	61	64	65
RH-II(%)	37	39	35	37	36
Wind Speed(kmph)	10.0	10.0	8.0	11.0	16.0
Wind Direction(Degree)	233	218	250	273	296
Cloud Cover(Octa)	8	8	8	6	7

### Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 37°C and 39 °C and the minimum temperature would be in the range 28 °C- 29 °C . Cloudy sky will appear . Wind speed is expected to be 8 to 16 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **AVADAIYARKOVIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	28.0	28.0	28.0	29.0
RH-I(%)	59	61	61	63	65
RH-II(%)	37	39	35	36	36
Wind Speed(kmph)	13.0	12.0	11.0	12.0	14.0
Wind Direction(Degree)	234	222	249	263	271
Cloud Cover(Octa)	8	8	8	6	7

### Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 37°C and 39 °C and the minimum temperature would be in the range 28 °C- 29 °C . Cloudy sky will appear . Wind speed is expected to be 11 to 14 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation







# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **GANDARAVAKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	35.0	38.0	37.0	38.0
Tmin(°C)	28.0	27.0	28.0	28.0	29.0
RH-I(%)	59	62	66	68	64
RH-II(%)	38	41	36	38	36
Wind Speed(kmph)	15.0	12.0	13.0	16.0	16.0
Wind Direction(Degree)	241	225	253	280	284
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 35 °C and 38 °C and the minimum temperature would be in the range 27 °C- 29 °C . Cloudy sky will appear . Wind speed is expected to be 12 to 16 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **KARAMBAKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	36.0	38.0	37.0	38.0
Tmin(°C)	28.0	27.0	28.0	28.0	29.0
RH-I(%)	59	62	64	66	64
RH-II(%)	37	40	35	37	36
Wind Speed(kmph)	13.0	11.0	12.0	14.0	16.0
Wind Direction(Degree)	238	224	252	275	285
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 37°C and 38°C and the minimum temperature would be in the range 27 °C- 29 °C . Cloudy sky will appear . Wind speed is expected to be 11 to 16 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **KUNNANDARKOIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	36.0	38.0	37.0	38.0
Tmin(°C)	27.0	26.0	27.0	27.0	28.0
RH-I(%)	60	62	63	64	61
RH-II(%)	37	40	35	37	36
Wind Speed(kmph)	15.0	12.0	13.0	16.0	18.0
Wind Direction(Degree)	245	233	256	272	283
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Dry weather is expected in this week. Maximum temperature would be in the range 36°C and 38°C and the minimum temperature would be in the range 26°C- 28°C . Cloudy sky will appear . Wind speed is expected to be 12 to 18 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **MANALMELKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	36.0	39.0	38.0	38.0
Tmin(°C)	28.0	27.0	28.0	28.0	29.0
RH-I(%)	60	62	62	63	65
RH-II(%)	38	39	35	37	37
Wind Speed(kmph)	14.0	12.0	12.0	12.0	14.0
Wind Direction(Degree)	235	223	249	261	263
Cloud Cover(Octa)	8	8	8	6	7

### Weather Summary/Alert:

Dry weather is expected in this week. Maximum temperature would be in the range 36°C and 38°C and the minimum temperature would be in the range 27°C- 29°C . Cloudy sky will appear . Wind speed is expected to be 12 to 14 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation







**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **PONNAMARAVATI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	27.0	28.0	28.0	29.0
RH-I(%)	59	61	61	63	64
RH-II(%)	37	39	34	36	36
Wind Speed(kmph)	12.0	11.0	10.0	11.0	15.0
Wind Direction(Degree)	235	223	250	265	278
Cloud Cover(Octa)	8	8	8	6	7

### Weather Summary/Alert:

Dry weather is expected in this week. Maximum temperature would be in the range 37°C and 39°C and the minimum temperature would be in the range 27°C- 29°C . Cloudy sky will appear . Wind speed is expected to be 11 to 15 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





## Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



### Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **PUDUKKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	28.0	28.0	28.0	29.0
RH-I(%)	59	60	61	64	65
RH-II(%)	37	39	35	37	36
Wind Speed(kmph)	9.0	9.0	7.0	11.0	16.0
Wind Direction(Degree)	231	215	249	276	304
Cloud Cover(Octa)	8	8	8	6	7

#### Weather Summary/Alert:

Dry weather is expected this week. Maximum temperature would be in the range 37°C and 39°C and the minimum temperature would be in the range 28°C-29°C . Partially cloudy sky will appear . Wind speed is expected to be 9 to 16 kmph.

#### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

#### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

#### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

#### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation
MULBERRY	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **THIRUVARANGULAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	28.0	28.0	28.0	29.0
RH-I(%)	59	60	61	64	65
RH-II(%)	37	39	35	37	36
Wind Speed(kmph)	9.0	9.0	7.0	11.0	16.0
Wind Direction(Degree)	231	216	249	276	303
Cloud Cover(Octa)	8	8	8	6	7

### Weather Summary/Alert:

Dry weather is expected in this week. Maximum temperature would be in the range 37°C and 39°C and the minimum temperature would be in the range 28°C- 29°C . Cloudy sky will appear . Wind speed is expected to be 07 to 16 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **TIRUMAYAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	37.0	39.0	38.0	38.0
Tmin(°C)	28.0	28.0	28.0	28.0	29.0
RH-I(%)	59	60	61	64	65
RH-II(%)	37	39	35	37	36
Wind Speed(kmph)	10.0	10.0	8.0	11.0	16.0
Wind Direction(Degree)	233	218	250	272	293
Cloud Cover(Octa)	8	8	8	6	7

### Weather Summary/Alert:

Dry weather is expected in this week. Maximum temperature would be in the range 37°C and 39°C and the minimum temperature would be in the range 28°C- 29°C . Cloudy sky will appear . Wind speed is expected to be 8 to 16 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 08-08-2022

Weather Forecast of **VIRALIMALAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-08-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-08-09	2022-08-10	2022-08-11	2022-08-12	2022-08-13
Rainfall	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	37.0	36.0	38.0	37.0	38.0
Tmin(°C)	27.0	26.0	27.0	27.0	28.0
RH-I(%)	60	63	62	64	61
RH-II(%)	37	40	35	37	36
Wind Speed(kmph)	15.0	12.0	14.0	16.0	18.0
Wind Direction(Degree)	246	235	256	271	280
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Dry weather is expected in this week. Maximum temperature would be in the range 36°C and 38°C and the minimum temperature would be in the range 27°C- 28°C . Cloudy sky will appear . Wind speed is expected to be 12 to 18 kmph.

### General Advisory:

Farmers should clean the drains and water bodies and carry out rainwater harvesting activities as rain is expected.

### SMS Advisory:

Utilizing the anticipated rain, start sowing of Gourds.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
MAIZE	With the receipt of light rainfall in the past week, hand weeding may be done in maize and apply 50 kg of urea per hectare as top dressing.
JASMINE	Utilizing the anticipated rain, for the application of manure and fertilizers in Jasmine. NPK @ 60:120:120 g and 470 of complex, 30g of Urea/plant/year is applied along with 10 kg FYM per plant.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Prevailing weather conditions for Enterotoxemia, vaccination the young Goat/ growing kids at 6 th month, vaccinate the animals once in a year before the onset of monsoon and at the time of Lambing stage of Goat

### Sericulture Specific Advisory:

Sericulture (Varieties)	Sericulture Specific Advisory
MULBERRY	Prevailing weather condition is favourable for Uzifly in silkworm growing areas for that Nesolynx thymus at 1 lakh adults/100 dfls during night hours. Release the hyperparasitoid after 2 days after fumigation



