

# Agromet Advisory Bulletin for the Thanjavur District (From 05th February 2022 to 09th February 2022) Issued jointly by Tamil Nadu Rice Research Institute Aduthurai and IMD



Bulletin no: 10/2022 Date: 04.02.2022

Weather Summary for the period since the issue of last bulletin no. 09 (01.02.2022) for Tamil Nadu:

Maximum temperature of 31 °C to 32 °C and minimum temperature of 22 °C to 24 °C and were recorded in Thanjavur district.

# Weather Summary and forecast for Thanjavur district

Past week Summary 01.02.2022 to 03.02.2022			Parameters	Ensemble weather forecast valid until 08.30 hrs of 09.02.2022				
Day-1 01/02	Day-2 02/02	Day-3 03/02	Date	Day-1 05/02	Day-2 06/02	Day-3 07/02	Day-4 08/02	Day-5 09/02
0	0	0	Rainfall (mm)	0	0	0	0	0
32	31	31	Max. Temp. (°C)	32	32	32	32	32
24	23	22	Mini. Temp. (°C)	23	23	23	23	23
4	4	4	Cloud cover (Octa)	4	4	4	6	8
78-66	78-68	70-64	RH I-II (%)	85-55	85-55	85-55	85-55	85-55
4	5	4	Wind (kmph)	6	8	8	10	10
East South East	East South East	South East	Wind direction	South East	East	East	East	East

### Weather forecast for next five days (05.02.2022 to 09.02.2022)

According to district level forecast issued by India Meteorological Department for Thanjavur district, the sky will be moderately cloudy. No Rainfall expected next coming five days. Maximum temperature is expected to be around 32 °C and Minimum temperature is expected to be around 23 °C. Morning relative humidity is expected to be around 85 percent and evening relative humidity is expected to be around 55 percent. Average wind speed is expected to be around 6-10 km per hour and the wind direction will be east.

### **Agro Advisory**

Crop	Stage	Advisory
Rice		By using the current dry weather condition, harvested paddy seeds may be dried to 13% moisture content to prevent pest damage in storage.

Blackgram		Treat the black gram seeds with carbendazim 2g/1kg before				
Bracing and		sowing, to prevent disease incidence.				
Rice		The prevailing weather condition conducive for Leaf Folder and				
		Stemborer (white ear) occurrence in thaladi paddy. To control this,				
		apply cartop hydrochloride 4G @ 6kg with sand or				
		choloriphyriphos 400 ml/ac.				
	Cow	Due to drop in night temperature, the livestock particularly the				
Cattle		young ones should not be left in open. A proper night shelter with				
dattie		sufficient heating equipments (lighting bulb) must be provided to				
		prevent the incidence of pneumonia.				

## **SMS** advisory

• By using the current dry weather condition, harvested paddy seeds may be dried to 13% moisture content to prevent pest damage in storage.

Director TRRI, Aduthurai