



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **ANNAVASAL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	12.3	3.0	7.1	18.3	5.3
Tmax(°C)	33.3	32.1	32.6	31.9	32.5
Tmin(°C)	23.5	23.4	23.4	22.9	24.3
RH-I(%)	85	80	86	91	82
RH-II(%)	50	54	53	55	50
Wind Speed(kmph)	9.0	9.0	7.0	8.0	7.0
Wind Direction(Degree)	326	288	120	28	23
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.9°C and 33.3°C and the minimum temperature would be in between 22.9°C - 24.3°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 7 to 9 kmph.

General Advisory:

Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **ARANTANGI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	10.8	6.4	0.1	23.1	6.5
Tmax(°C)	35.7	34.2	32.6	34.4	34.4
Tmin(°C)	28.3	28.8	28.0	28.1	29.0
RH-I(%)	82	78	80	84	82
RH-II(%)	51	54	61	53	50
Wind Speed(kmph)	8.0	7.0	8.0	6.0	7.0
Wind Direction(Degree)	158	214	146	23	195
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 32.6°C and 35.7°C and the minimum temperature would be in between 28.0°C - 29.0°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 6 to 8 kmph.

General Advisory:

Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **ARIMALAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	11.3	5.4	0.4	31.1	6.0
Tmax(°C)	33.5	31.9	31.2	31.5	32.7
Tmin(°C)	24.0	24.2	23.6	23.4	24.8
RH-I(%)	85	79	82	88	84
RH-II(%)	50	54	59	55	50
Wind Speed(kmph)	7.0	6.0	8.0	7.0	7.0
Wind Direction(Degree)	158	207	158	23	198
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.2°C and 33.5°C and the minimum temperature would be in between 23.4°C - 24.8°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 6 to 8 kmph.

General Advisory:

Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **AVADAIYARKOVIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	10.5	4.3	0.2	20.4	6.1
Tmax(°C)	35.0	33.5	31.7	34.1	33.6
Tmin(°C)	28.2	28.6	27.6	28.0	28.5
RH-I(%)	80	76	78	82	81
RH-II(%)	52	54	61	52	51
Wind Speed(kmph)	9.0	8.0	9.0	6.0	8.0
Wind Direction(Degree)	162	210	153	158	195
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.7°C and 34.1°C and the minimum temperature would be in between 27.6°C - 28.5°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 6 to 9 kmph.

General Advisory:

Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **GANDARAVAKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	2.9	0.0	11.7	19.4	2.3
Tmax(°C)	33.7	32.5	31.7	30.7	32.1
Tmin(°C)	23.9	24.6	23.9	23.5	24.7
RH-I(%)	81	72	86	91	83
RH-II(%)	47	50	54	56	50
Wind Speed(kmph)	9.0	13.0	6.0	9.0	8.0
Wind Direction(Degree)	293	283	27	68	30
Cloud Cover(Octa)	8	8	8	7	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 30.7°C and 33.7°C and the minimum temperature would be in between 23.5°C - 24.7°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 6 to 13 kmph.

General Advisory:

Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **KARAMBAKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	6.8	4.4	0.0	15.6	6.1
Tmax(°C)	33.6	32.4	31.1	31.4	32.6
Tmin(°C)	23.6	24.2	23.8	23.5	24.8
RH-I(%)	83	79	83	89	83
RH-II(%)	49	54	57	55	49
Wind Speed(kmph)	9.0	10.0	8.0	8.0	8.0
Wind Direction(Degree)	162	285	158	113	113
Cloud Cover(Octa)	8	8	8	7	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.1°C and 33.6°C and the minimum temperature would be in between 23.5°C - 24.8°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 8 to 10 kmph.

General Advisory:

Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **KUNNANDARKOIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	9.9	1.1	18.3	18.4	7.6
Tmax(°C)	33.4	32.2	32.5	31.6	32.3
Tmin(°C)	23.3	23.4	23.5	23.1	24.3
RH-I(%)	84	78	87	91	84
RH-II(%)	49	54	51	56	50
Wind Speed(kmph)	10.0	12.0	7.0	9.0	7.0
Wind Direction(Degree)	300	291	15	27	23
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.6°C and 33.4°C and the minimum temperature would be in between 23.1°C - 24.3°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 7 to 12 kmph.

General Advisory:

Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **MANALMELKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	9.3	2.5	0.8	10.3	6.9
Tmax(°C)	33.3	32.2	30.1	32.9	32.0
Tmin(°C)	27.9	28.1	27.5	27.7	28.1
RH-I(%)	78	78	77	79	79
RH-II(%)	60	61	67	56	58
Wind Speed(kmph)	13.0	13.0	10.0	7.0	9.0
Wind Direction(Degree)	180	208	158	158	203
Cloud Cover(Octa)	8	8	8	7	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 30.1°C and 33.3°C and the minimum temperature would be in between 27.7°C - 28.1°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 7 to 13 kmph.

General Advisory:

Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **PONNAMARAVATI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	11.6	1.0	6.8	14.8	3.2
Tmax(°C)	33.0	32.0	32.7	32.2	32.8
Tmin(°C)	23.7	23.6	23.2	22.7	24.1
RH-I(%)	82	76	83	89	81
RH-II(%)	51	53	53	53	50
Wind Speed(kmph)	6.0	6.0	7.0	6.0	6.0
Wind Direction(Degree)	158	315	158	30	23
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 32.2°C and 33.0°C and the minimum temperature would be in between 22.7°C - 24.1°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 6 to 7 kmph.

General Advisory:

Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **PUDUKKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	11.7	4.8	2.9	20.9	5.0
Tmax(°C)	33.4	32.2	32.2	31.9	32.8
Tmin(°C)	23.7	23.8	23.5	23.2	24.7
RH-I(%)	84	79	85	90	81
RH-II(%)	49	54	56	55	50
Wind Speed(kmph)	9.0	8.0	8.0	8.0	7.0
Wind Direction(Degree)	326	297	162	23	23
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.9°C and 33.4°C and the minimum temperature would be in between 23.2°C - 24.7°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 7 to 9 kmph.

General Advisory:

Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
AGRI FIELD	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **THIRUVARANGULAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	13.1	8.1	2.6	22.6	5.4
Tmax(°C)	33.3	32.2	32.0	31.8	32.9
Tmin(°C)	23.7	23.8	23.5	23.2	24.8
RH-I(%)	85	80	85	89	82
RH-II(%)	49	55	58	56	50
Wind Speed(kmph)	9.0	8.0	8.0	8.0	7.0
Wind Direction(Degree)	326	293	162	19	23
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.8°C and 33.3°C and the minimum temperature would be in between 23.2°C - 24.8°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 7 to 9 kmph.

General Advisory:

Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **TIRUMAYAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	6.3	0.0	3.4	27.6	4.8
Tmax(°C)	33.2	32.0	31.9	31.8	32.7
Tmin(°C)	24.0	24.2	23.5	23.1	24.7
RH-I(%)	84	76	83	88	84
RH-II(%)	49	53	56	54	50
Wind Speed(kmph)	7.0	6.0	8.0	7.0	7.0
Wind Direction(Degree)	158	203	158	23	198
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.8°C and 33.2°C and the minimum temperature would be in between 23.1°C - 24.7°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 6 to 8 kmph.

General Advisory:

Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 18-10-2022

Weather Forecast of **VIRALIMALAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-18(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-19	2022-10-20	2022-10-21	2022-10-22	2022-10-23
Rainfall	12.2	0.3	13.2	15.1	4.6
Tmax(°C)	32.8	31.8	33.0	31.6	32.1
Tmin(°C)	23.1	23.1	23.2	22.7	24.0
RH-I(%)	84	77	86	92	84
RH-II(%)	51	54	48	54	49
Wind Speed(kmph)	9.0	11.0	6.0	8.0	7.0
Wind Direction(Degree)	300	293	23	36	108
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Chances of light to moderate rain from 19 to 23 th October. Maximum temperature would be in the range 31.6°C and 33.0°C and the minimum temperature would be in between 22.7°C - 24.0°C. Cloudy sky is expected for next 5 days. Wind speed is expected to be 6 to 11 kmph.

General Advisory:

Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

SMS Advisory:

Chances of light to for next five days. Proper drainage facilities to be ensured in the crop fields.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	During the dry season of Samba paddy crop, mix 1 kg of head fertilizer with 25 kg urea and 10 kg of gray manure with 10 kg of potash fertilizer and water evenly in the field.
RICE	Due to the prevailing Cloudy weather conditions, there will be possibility Paddy crop is prone to Rice Blast. Foliar spray of Pseudomonas fluorescens 5 gm/litre of water is recommended for Rice blast disease.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Deworming should carried out as per the seasonal schedule. The new born calves have to be provided with luke warm water to prevent cold stress during rainy season.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory

Others (Soil / Land Preparation) (Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Cloudy weather and continuous rains is favorable for pest and disease incidence for all crops. Farmers are advised to morning and evening monitor their field and take necessary plant protection measures based on symptoms of damage