



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **ANNAVASAL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	5.0	5.0	5.0	21.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	89	86	84	81	87
RH-II(%)	48	53	56	54	58
Wind Speed(kmph)	10.0	11.0	12.0	11.0	9.0
Wind Direction(Degree)	230	87	320	88	191
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 12 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	During monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



## Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



### Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **ARANTANGI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	6.0	6.0	6.0	22.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	88	85	84	81	86
RH-II(%)	48	52	56	55	58
Wind Speed(kmph)	10.0	12.0	13.0	11.0	9.0
Wind Direction(Degree)	235	83	303	85	192
Cloud Cover(Octa)	4	5	7	8	8

#### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 13 kmph.

#### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

#### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

#### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

#### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	During monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **ARIMALAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	6.0	6.0	6.0	22.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	89	85	84	81	86
RH-II(%)	48	52	56	55	58
Wind Speed(kmph)	10.0	12.0	13.0	12.0	9.0
Wind Direction(Degree)	248	74	316	73	199
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 13 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	During monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **AVADAIYARKOVIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	5.0	6.0	6.0	22.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	88	85	84	81	86
RH-II(%)	48	52	56	55	57
Wind Speed(kmph)	10.0	12.0	13.0	11.0	9.0
Wind Direction(Degree)	226	84	289	89	191
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 13 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	During monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **GANDARAVAKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	16.0	9.0	7.0	26.0
Tmax(°C)	33.0	33.0	32.0	33.0	32.0
Tmin(°C)	26.0	27.0	26.0	26.0	27.0
RH-I(%)	89	89	85	84	90
RH-II(%)	51	54	62	55	62
Wind Speed(kmph)	12.0	12.0	14.0	12.0	10.0
Wind Direction(Degree)	248	134	349	132	104
Cloud Cover(Octa)	4	5	8	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 32.0°C and 33.0°C and the minimum temperature would be in between 26°C-27°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 10 to 14 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	During monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **KARAMBAKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	10.0	7.0	6.0	23.0
Tmax(°C)	33.0	33.0	33.0	33.0	32.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	89	87	84	83	88
RH-II(%)	50	53	59	55	60
Wind Speed(kmph)	11.0	12.0	13.0	11.0	9.0
Wind Direction(Degree)	233	111	329	112	149
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 32.0°C and 33.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 13 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	During monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **KUNNANDARKOIL** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	5.0	5.0	4.0	18.0
Tmax(°C)	33.0	32.0	33.0	33.0	32.0
Tmin(°C)	24.0	25.0	25.0	25.0	25.0
RH-I(%)	89	88	85	81	88
RH-II(%)	48	54	56	52	58
Wind Speed(kmph)	9.0	10.0	11.0	8.0	8.0
Wind Direction(Degree)	170	133	328	143	165
Cloud Cover(Octa)	5	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 32.0°C and 33.0°C and the minimum temperature would be in between 24°C-25°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 08 to 11 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	In Tamil Nadu, during monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **MANALMELKUDI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	6.0	6.0	6.0	22.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	87	85	84	81	86
RH-II(%)	48	52	56	55	58
Wind Speed(kmph)	10.0	12.0	13.0	11.0	9.0
Wind Direction(Degree)	214	87	281	94	183
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 13 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	In Tamil Nadu, during monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.





**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **PONNAMARAVATI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	5.0	6.0	6.0	21.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	88	85	84	81	87
RH-II(%)	47	52	55	54	57
Wind Speed(kmph)	10.0	12.0	12.0	10.0	9.0
Wind Direction(Degree)	232	91	298	94	199
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 12 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	In Tamil Nadu, during monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **PUDUKKOTTAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	6.0	6.0	5.0	22.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	89	85	84	81	86
RH-II(%)	48	52	56	55	58
Wind Speed(kmph)	10.0	12.0	13.0	12.0	9.0
Wind Direction(Degree)	258	64	322	61	205
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 13 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	In Tamil Nadu, during monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **THIRUVARANGULAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	6.0	6.0	5.0	22.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	89	85	84	81	86
RH-II(%)	48	52	56	55	58
Wind Speed(kmph)	10.0	12.0	13.0	12.0	9.0
Wind Direction(Degree)	256	66	321	64	203
Cloud Cover(Octa)	4	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 12 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	In Tamil Nadu, during monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



## Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



### Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **TIRUMAYAM** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	5.0	6.0	6.0	22.0
Tmax(°C)	34.0	33.0	34.0	33.0	33.0
Tmin(°C)	26.0	26.0	26.0	26.0	26.0
RH-I(%)	89	85	84	81	86
RH-II(%)	48	52	56	55	58
Wind Speed(kmph)	10.0	12.0	13.0	11.0	9.0
Wind Direction(Degree)	246	76	312	75	200
Cloud Cover(Octa)	4	5	7	8	8

#### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 33.0°C and 34.0°C and the minimum temperature would be in between 26°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 09 to 12 kmph.

#### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

#### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

#### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

#### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	In Tamil Nadu, during monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.



**Gramin Krishi Mausam Sew**  
Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 28-10-2022

Weather Forecast of **VIRALIMALAI** Block in **PUDUKKOTTAI**(Tamil Nadu) Issued On :2022-10-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-10-29	2022-10-30	2022-10-31	2022-11-01	2022-11-02
Rainfall	0.0	4.0	5.0	4.0	17.0
Tmax(°C)	33.0	32.0	33.0	33.0	32.0
Tmin(°C)	24.0	24.0	25.0	25.0	25.0
RH-I(%)	89	88	85	81	88
RH-II(%)	48	54	55	52	58
Wind Speed(kmph)	9.0	10.0	10.0	8.0	8.0
Wind Direction(Degree)	162	137	324	148	166
Cloud Cover(Octa)	5	5	7	8	8

### Weather Summary/Alert:

Chances of light to moderate rain from 30, 31 th October and 1st 2nd November. Maximum temperature would be in the range 32.0°C and 33.0°C and the minimum temperature would be in between 24°C-25°C. Generally cloudy sky is expected for next 5 days. Wind speed is expected to be 08 to 10 kmph.

### General Advisory:

It is expected to receive rainfall in the forthcoming days, so the farmers are requested to farm bund around the field to harvest the rainfall in the field itself.

### SMS Advisory:

To prevent wooden tongue diseases in cattle avoid fungal laden feeds and thorny bushes grazing.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	The travelling weather condition favorable for gall midge infection in rice. It leads to the formation of onion like leaf and prevents the panicle formation. To control this apply Thiamethoxam 25 % WG 100G/ha

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	During rainy days, the quantity of sugars, lipids and minerals present in the fodder crops is reduced due to leaching in rain water. To overcome this, the quantity of compounded feed can be increased (250 g /day) or 50 gram mineral mixture may be supplemented.
COW	In Tamil Nadu, during monsoon season rainy days interspersed with a day of sunshine. This favours fly population to increase at a faster pace, and hence fly menace will be high in the forthcoming months (November & December ). Necessary fly control measures with special attention for farm sanitation.