

## Pandit Jawaharlal Nehru College of Agriculture and Research Institute, Karaikal - 609 603

Agromet Advisory Bulletin (AAB) for KARAIKAL District Issued jointly by IMD & PAJANCOA & RI



Phone No. 04368 – 261182 E-mail: agronaas2012@gmail.com

Fax: 04368-261260



## Weather Summary for Karaikal district

<u>022</u> com		~	
	Date: 30	.08.2022	-
	her forec		until
Day-2 01/09	Day-3 02/09	Day-4 03/09	Day-5 04/09

Past week Summary (25.08.2022 to 29.08.2022)			Weather Parameters	Ensemble weather forecast valid until 08.30 hrs of 04.09.2022						
25/08	26/08	27/08	28/08	29/08		Day-1 31/08	Day-2 01/09	Day-3 02/09	Day-4 03/09	Day-5 04/09
0	1.0	3.5	4.0	0	Rainfall (mm)	4	4	4	4	12
33	33	34	34	34	Max. Temp. (°C)	32	32	32	22	32
25	25	24	25	25	Mini. Temp. (°C)	27	26	26	26	26
2	3	5	3	4	Cloud cover (Octa)	4	7	6	6	8
57-84	64-89	63-92	62-87	69-86	RH Even- Morn. (%)	50-80	50-80	50-70	50-70	50-70
4	3	6	2	2	Wind (kmph)	8	8	8	8	12
WSW	WNW	WSW	WSW	WSW	Wind direction	W	W	W	W	W

## Forecast for next five days: 31.08.2022 to 04.09.2022

- → Light rain is likely to occur at many places from 31<sup>st</sup> August to 03<sup>rd</sup> September.
- → Moderate rain is likely to occur at many places on 04<sup>th</sup> September.
- During next five days, the sky will be cloudy. The temperature range is expected to be around 26°C 32°C. Relative humidity range is expected to be around 50-80%. The wind speed is expected to be 08-12 km per hour and the wind will be mostly from west direction.
- Rainfall (8.43 mm) will be above normal, maximum temperature (30.44°C) and minimum temperature (24.07°C) will be normal from 04<sup>th</sup> to 10<sup>th</sup> September.

## **Agro Advisory**

Crop	Stage	Advisory		
Thunderstorm and lightening		Thunderstorm with lightning is likely to occur at isolated places from		
war	ning	31 <sup>st</sup> August to 03 <sup>rd</sup> September.		
		Farmers are advised to keep their animals inside the cattle shed and		
		avoid animals congregating under isolated tree or near trees, tractor, farm		
		machinery and other equipment made of metals. Ensure that your		
		animals are safe from the dangers of lightning strikes.		
Green	Sowing	Utilizing the received rainfall seeds of green manure crops like sithagathi		
manure		or daincha or manila agathi @ 50 kg/ha may be sown and incorporated at		
crop		pre flowering stage.		
Rice	Harvest	Harvest the matured paddy immediately as light to heavy rain is		
		anticipated for next few days.		
	Field	Farmers are advised to take up land preparation work for sowing samba		
	preparation	paddy crops, utilizing showers received in the past few days.		
		Level the field to have uniform crop stand and provide shallow trenches		
		(15 cm width) at an interval of 3 m all along the field to facilitate the		
		draining of excess water in case of heavy rainfall at the early growth		
		stage of rice.		

	Variety	Long duration rice varieties like CR 1009, ADT 50 and KKLR 1 may be	
		adopted for ensuing Samba season.	
	Seed	Treat the seeds with Carbendazim or Pyroquilon or Tricyclozole @ 2 g/	
	treatment	kg of seed. Soak the seeds in water for 10 hrs and drain the excess water.	
Cattle	Shed	Repair cattle/goat/poultry shed before the rainy season and ensure the	
	management	t roof leak proof. Otherwise leaking of rain water in dirty sheds may	
		increase in ammonia production and coccidiosis disease.	
		Do patchwork to fill the cracks in the floor to prevent hoof rotting disease of goats.	
	Vaccination	Before the onset of monsoon, animals may be vaccinated for Foot and	
		Mouth Disease and Hemorrhagic Septicemia. Grazing animals that are drinking pond water should be dewormed	

**SMS:** Light to moderate rain is expected for next few days. Hence, postpone irrigation to crops.

DEAN PAJANCOA & RI