



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **ANDANALLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	6.0	5.0	8.0	27.0	18.0
Tmax(°C)	36.0	35.0	34.0	34.0	33.0
Tmin(°C)	26.0	25.0	24.0	24.0	23.0
RH-I(%)	80	77	77	77	87
RH-II(%)	40	40	46	47	57
Wind Speed(kmph)	4	4	6	4	4
Wind Direction(Degree)	140	187	186	217	153
Cloud Cover(Octa)	7	8	7	7	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (80.0% & 46.0%), 34.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **LALGUDI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	1.0	17.0	7.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	27.0	26.0	25.0	25.0	24.0
RH-I(%)	80	70	70	70	80
RH-II(%)	40	40	40	40	50
Wind Speed(kmph)	4	4	6	4	4
Wind Direction(Degree)	146	165	162	199	121
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 42.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **MANACHANELLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	1.0	17.0	7.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	27.0	26.0	25.0	25.0	24.0
RH-I(%)	80	70	70	70	80
RH-II(%)	40	40	40	40	50
Wind Speed(kmph)	4	4	6	4	4
Wind Direction(Degree)	145	164	162	199	119
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 42.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **MANAPPARAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	3.0	2.0	3.0	20.0	9.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	27.0	26.0	25.0	24.0	24.0
RH-I(%)	80	72	72	72	82
RH-II(%)	40	40	42	42	52
Wind Speed(kmph)	4	4	5	4	4
Wind Direction(Degree)	142	169	169	201	138
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 43.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.2 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **MANIKANDAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	1.0	17.0	7.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	27.0	26.0	25.0	25.0	24.0
RH-I(%)	80	70	70	70	80
RH-II(%)	40	40	40	40	50
Wind Speed(kmph)	4	4	6	4	4
Wind Direction(Degree)	140	161	160	200	112
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 42.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **MARUNGAPURI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	4.0	22.0	8.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	26.0	25.0	24.0	24.0	23.0
RH-I(%)	80	73	73	73	83
RH-II(%)	40	40	41	43	53
Wind Speed(kmph)	3	4	5	4	5
Wind Direction(Degree)	151	165	171	191	137
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 43.0%), 36.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.2 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **MUSIRI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	3.0	20.0	8.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	80	73	73	73	83
RH-II(%)	40	40	41	43	53
Wind Speed(kmph)	4	4	5	4	5
Wind Direction(Degree)	150	167	168	193	133
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 43.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **PULLAMBADI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	1.0	17.0	6.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	27.0	26.0	25.0	25.0	24.0
RH-I(%)	80	71	71	71	81
RH-II(%)	40	40	40	41	51
Wind Speed(kmph)	4	4	5	5	4
Wind Direction(Degree)	150	168	164	199	127
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (75.0% & 42.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of TATTAYANGARPETTAI Block in TIRUCHIRAPPALLI(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	1.0	1.0	4.0	20.0	8.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	26.0	25.0	24.0	24.0	23.0
RH-I(%)	80	74	74	74	84
RH-II(%)	40	40	40	44	54
Wind Speed(kmph)	3	4	5	4	5
Wind Direction(Degree)	152	168	165	187	132
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (77.0% & 44.0%), 36.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.2 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of THIRUVERAMBUR Block in TIRUCHIRAPPALLI(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	1.0	17.0	7.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	27.0	26.0	25.0	25.0	24.0
RH-I(%)	80	70	70	70	80
RH-II(%)	40	40	40	40	50
Wind Speed(kmph)	4	4	6	4	4
Wind Direction(Degree)	141	161	160	200	114
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 42.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **THOTTIAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	4.0	22.0	8.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	26.0	25.0	24.0	24.0	23.0
RH-I(%)	80	74	74	74	84
RH-II(%)	40	40	40	44	54
Wind Speed(kmph)	3	4	5	4	5
Wind Direction(Degree)	151	165	171	189	137
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (77.0% & 44.0%), 36.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.2 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **TURAIYUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	2.0	1.0	3.0	17.0	6.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	80	72	72	72	82
RH-II(%)	40	40	40	42	52
Wind Speed(kmph)	4	4	5	5	5
Wind Direction(Degree)	164	177	169	194	139
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 43.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.6 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather condition leaf folder infestation identified in paddy crop. To manage the leaf folder Release Trichogramma chilonis @5 cc (1,00,000/ha) thrice at 37, 44 and 51 days.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the powdery mildew incidence may occur in chillies. To control, spray carbendazim @ 1 g/l three sprays at 15 days interval from the first appearance of symptoms.
ONION	Due to prevailing weather Pythium Root Rot incidence may occur in onion, To control this disease, if after sprouting, apply trichoderma viride @ 2.5 kg/ha with FYM by soil application. if not yet started sowing treat the bulbs with thiram or captan @ 4 g/kg.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **UPPILIAPURAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	1.0	1.0	4.0	18.0	7.0
Tmax(°C)	37.0	36.0	36.0	35.0	34.0
Tmin(°C)	26.0	25.0	24.0	24.0	23.0
RH-I(%)	80	74	74	74	84
RH-II(%)	40	40	40	44	54
Wind Speed(kmph)	3	4	5	5	5
Wind Direction(Degree)	160	174	166	188	136
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (77.0% & 44.0%), 36.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 28-04-2023

Weather Forecast of **VAIYAMPATTI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-04-28(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-29	2023-04-30	2023-05-01	2023-05-02	2023-05-03
Rainfall	4.0	3.0	5.0	23.0	12.0
Tmax(°C)	36.0	35.0	35.0	34.0	33.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	80	74	74	74	84
RH-II(%)	40	40	43	44	54
Wind Speed(kmph)	4	4	5	4	5
Wind Direction(Degree)	142	175	176	206	145
Cloud Cover(Octa)	8	8	7	8	8

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (77.0% & 44.0%), 36.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 4.4 kmph and 20.0 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be below normal during this week (30.04.2023 to 06.05.2023) From 2.29 mm to 1.31 mm.

SMS Advisory:

Light to moderate rainfall will be expected in the forthcoming days, proper drainage may be provided to all the crops to avoid water logging condition.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
BRINJAL	Due to prevailing weather the damping off incidence may occur in brinjal. To control, Avoid stagnation of water. Drench with copper oxychloride at 2.5 g/l @ 4 l/sq.m.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Farmers are advised to apply Butox solution (2 ml in 1 litre water) externally to remove ecto - parasites in sheep and goats.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	By utilizing the expected summer shower ploughing can be done to control weeds and larva of insects.
GENERAL ADVICE	Raising of green manure crops like daincha, sunnhemp and kolinji can be done by utilizing the expected rainfall.
GENERAL ADVICE	To know the precaution of thunder and lightning, download DAMINI app and use it wisely.
GENERAL ADVICE	To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.