

Agromet Advisory Bulletin for the Perambalur District (From 11<sup>th</sup> February2023 to 15<sup>th</sup> February 2023) Issued jointly by Tamil Nadu Rice Research Institute -Aduthurai and IMD



## **Bulletin no:** 12/2023

## Date: 10.02.2023

Weather Summary for the period since the issue of last bulletin no. 11 (07.02.2023) for Tamil Nadu: Perambalur district

Maximum temperature of 30 – 33 °C, minimum temperature of 21 - 22°C, was recorded in Perambalur district.

Past week Summary 07.02.2023 to 09.02.2023			Parameters	Ensemble weather forecast valid until 08.30 hrs of 15.02.2023				
Day-1 07/02	Day-2 08/02	Day-3 09/02	Date	Day-1 11/02	Day-2 12/02	Day-3 13/02	Day-4 14/02	Day-5 15/02
0	0	0	Rainfall (mm)	0	0	0	0	0
30	33	32	Max. Temp. (°C)	32	32	33	33	34
21	21	22	Min. Temp. (°C)	21	21	22	22	22
4	5	5	Cloud cover (Octa)	2	2	3	3	2
88-45	91-54	86-44	RH I-II (%)	80-30	80-30	80-30	80-20	80-20
12	8	9	Wind (kmph)	6	10	10	12	10
East	East	East	Wind direction	North East	East North East	East	East North East	North North East

## Weather Summary and forecast for Perambalur district

#### Weather forecast for next five days (11.02.2023 to 15.02.2023)

According to district level forecast issued by India Meteorological Department for Perambalur district, the sky will be less cloudy. No rainfall is expected for next five days. Maximum temperature is expected to be around 32 - 34 °C and minimum temperature is expected to be around 21 - 22°C. Morning relative humidity is expected to be around 80 percent and evening relative humidity is expected to be around 20 - 30 percent. Average wind speed is expected to be around 6 - 12 km per hour. The wind direction will be north east.

# Agro Advisory

Сгор	Stage	Advisory			
Ger	neral	Farmers can utilize the mobile apps viz., (TNAU AAS, Meghdoot and DAMINI), for more updated weather information.			
Rice	Harvest	Harvest the paddy crop at optimum moisture content during the ensuing dry weather conditions.			
Pulses	Sowing	Treat the black gram seeds with <i>Beauvaria basiana</i> @10g per kg of seeds before sowing.			
Pulses	Sowing	Sow black gram or green gram in rice harvested fields.			
Cattle	Cow and Goat	The prevailing night time temperature is favorable for pneumonia formation in cattle. To reduce the risk, suitable nighttime shelter with enough heating provision must be given.			

# SMS advisory

Farmers are advised to harvest matured paddy at optimum moisture content.

Director TRRI, Aduthurai