Tamil Nadu Agricultural University



India Meteorological Department Agromet Advisory Bulletin for the Coimbatore District Bulletin No.049/2023 Issued on 20.06.2023 (From 21th June 2023 to 25th June 2023) Issued jointly by Agro Climate Research Centre, TNAU and IMD



Past Weather for Tamil Nadu District

Weather Summary for the period since the issue of last bulletin 048 (16.06.2023) for Tamil Nadu. Maximum temperature ranged from 29°C to 41°C and minimum temperature ranged from 24°C to 31°C, over the State. Kodaikanal and Uthagamandalam recorded maximum temperature ranged from 19°C to 22°C and minimum temperature ranged from 10°C to13°C. During this period isolated rainfall was recorded in Tamil Nadu.

Coimbatore District Past Weather

In Coimbatore district, during 16.06.23 to 19.06.23 the Maximum temperature was recorded was 34°C to 36°C and the minimum temperature was 23°C to 24°C. The Morning relative humidity recorded was 86 per cent and evening relative humidity was 64 per cent. The average wind speed recorded was 14-22 km per hour and the wind direction were from South West direction.

Past week Summary (16.06.2023 to 19.06.2023)				Ensemble weather forecast valid until 08.30 hrs of 25.06.2023					
Day-1 16/06	Day-2 17/06	Day-3 18/06	Day-4 19/06	Date	Day-1 21/06	Day-2 22/06	Day-3 23/06	Day-4 24/06	Day-5 25/06
3.2	0.9	2.8	1.5	Rainfall	18	8	4	6	2
36	35	34	34	Max. Temp. (° C)	34	33	33	32	33
24	23	23	24	Mini. Temp. (° C)	25	24	23	23	22
4	6	7	7	Cloud cover (Octa)	8	8	8	8	8
73	76	82	86	RH morning (%)	80	70	80	70	70
52	64	64	59	RH evening (%)	60	50	40	50	40
22	19	14	18	Wind (kmph)	10	12	10	12	12
200	200	180	200	Wind Direction	230	230	230	230	230

Weather Summary for Coimbatore district

Weather forecast for next five days: (21.06.2023 to 25.06.2023)

According to district forecast issued by the India Meteorological Department for Coimbatore district, sky will be cloudy. Light to moderate rainfall is expected on next five days. Maximum temperature is expected to be around 32°C to 34°C. Minimum temperature is expected to be around 22°C to 25°C. Morning relative humidity is expected to be around 80 per cent and evening relative humidity is expected to be around 40 per cent. Average wind speed is expected to be around 10-12 km per hour and the wind direction will be from South west direction.

Coimbatore District Block Wise Rainfall (mm) for next five days												
Date	Anamalai	Annur	Karamadai	Kinathukadavu	Madukkarai	PN Palayam	Pollachi North	Pollachi South	Sarcarsamakulam	Sultanpet	Sulur	Thondamuthur
21-06-2023	16.0	13.0	14.0	15.0	15.0	15.0	15.0	15.0	14.0	12.0	13.0	15.0
22-06-2023	13.0	8.0	8.0	9.0	7.0	7.0	11.0	11.0	7.0	8.0	7.0	8.0
23-06-2023	8.0	5.0	5.0	5.0	3.0	3.0	7.0	7.0	3.0	4.0	3.0	4.0
24-06-2023	10.0	4.0	6.0	6.0	5.0	5.0	8.0	8.0	4.0	4.0	4.0	6.0
25-06-2023	8.0	1.0	2.0	3.0	1.0	1.0	6.0	6.0	1.0	2.0	1.0	2.0

Agro Advisory

Crop	Stage	Advisory
General		Light to moderate rainfall is expected with wind speed of 6 - 14 km/hr
		in Western zone during next five days. Wind speed of Tiruppur
		district may go up to 14 km/hr.
		As rainfall is expected in the coming days, irrigation may be
		postponed to all crops. Provide adequate drainage to all crops. Excess
		rain water may be drained to farm pond and use for supplemental
		irrigation.
Rice	Planting	Transplanting of short duration rice varieties can be done with enough
		provision of drainage because rainfall is anticipated. Also keep 2 cm
		water during evening and drain in the morning to avoid floating
		seedling due to rain splash action.
Maize	Sowing	By utilizing expected rainfall sowing of maize with imidacloprid
		seed treatment @ 10g/kg seed is advised.
Small	Sowing	With the receipt of anticipated rainfall sowing of small millets and
millets		millets may be taken up along the Western Ghats.
		Heavy rain may occur along the Western Ghats. Ensure adequate
		safety to the animals.
Sugarcane	Vegetative	Since rainfall with squally wind is expected, dethrash and propping in
		five months old sugarcane crop is recommended against the lodging.
		Late season sugarcane planting can be continued and if already
		planted, gap filling may be done.
Tomato	Planting	It is right time for planting of Tomato in main field.
Cucurbits	Sowing	By utilizing the past and expected rainfall, 1'x1'x1' sized pit may be
		taken for cucurbits.

Banana	Above 5	Light rain fall with 6-16 km/hour wind speed may cause lodging in				
	months old	banana. Providing support to five months and above old banana.				
		Provide adequate drainage facility to avoid water lodging.				
Turmeric	Vegetative	By utilizing the rainfall, weeding may be done in 30 days old				
		Turmeric				
Grapes		June is the best time for pruning in monsoon grape crop. Weak and				
		immature branches should be pruned without damaging in vines.				
Coconut		Conserve the expected rainfall by providing basin in coconut farms.				
		Apply fertilizer for the coconut trees more than 5 years @ 650 g urea,				
		1 kg super phosphate, 1 kg potash per tree. Also apply 250 g of micro				
		nutrient per tree and don't mix micro nutrient with soil.				
Animal		Do not allow the animals to graze on newly grown grasses, due to the				
		receipt of last week rain.				
		Since rainfall is expected, water lodging around the sheds may be				
		avoid.				

SMS advisory

Provide drainage in and around the cattle shed against water stagnation which may act as mosquito breeding source.

Professor and Head Principal Nodal Officer (GKMS) Agro Climate Research Centre