



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **ANDANALLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	3.0	3.0	5.0	5.0	0.0
Tmax(°C)	37.0	36.0	35.0	34.0	34.0
Tmin(°C)	27.0	26.0	25.0	25.0	24.0
RH-I(%)	74	71	71	71	71
RH-II(%)	57	41	40	40	40
Wind Speed(kmph)	8	11	10	12	10
Wind Direction(Degree)	267	246	262	260	250
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.2 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **LALGUDI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	2.0	0.0
Tmax(°C)	37.0	36.0	36.0	35.0	35.0
Tmin(°C)	27.0	26.0	26.0	25.0	25.0
RH-I(%)	80	70	70	70	70
RH-II(%)	70	40	40	40	40
Wind Speed(kmph)	10	12	11	13	10
Wind Direction(Degree)	266	247	250	263	264
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.2 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **MANACHANELLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	1.0	0.0
Tmax(°C)	37.0	36.0	36.0	35.0	35.0
Tmin(°C)	27.0	26.0	26.0	25.0	25.0
RH-I(%)	80	70	70	70	70
RH-II(%)	70	40	40	40	40
Wind Speed(kmph)	10	12	12	13	10
Wind Direction(Degree)	267	249	250	265	265
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.4 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **MANAPPARAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	3.0	0.0
Tmax(°C)	37.0	36.0	35.0	35.0	35.0
Tmin(°C)	27.0	26.0	25.0	25.0	25.0
RH-I(%)	78	71	71	71	71
RH-II(%)	67	41	40	40	40
Wind Speed(kmph)	9	11	11	12	11
Wind Direction(Degree)	265	244	253	254	255
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 10.8 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **MANIKANDAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	1.0	0.0
Tmax(°C)	37.0	36.0	36.0	35.0	35.0
Tmin(°C)	27.0	26.0	26.0	25.0	25.0
RH-I(%)	80	70	70	70	70
RH-II(%)	70	40	40	40	40
Wind Speed(kmph)	10	12	12	14	10
Wind Direction(Degree)	269	249	250	269	269
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.6 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **MARUNGAPURI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	3.0	1.0	4.0	3.0	0.0
Tmax(°C)	36.0	35.0	35.0	34.0	34.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	79	73	73	73	73
RH-II(%)	69	43	40	40	40
Wind Speed(kmph)	9	12	12	13	12
Wind Direction(Degree)	267	255	257	259	254
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 46.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.6 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **MUSIRI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	3.0	0.0
Tmax(°C)	36.0	35.0	35.0	34.0	34.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	79	72	72	72	72
RH-II(%)	69	42	40	40	40
Wind Speed(kmph)	9	12	12	13	11
Wind Direction(Degree)	266	252	255	259	256
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (73.0% & 46.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.4 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **PULLAMBADI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	2.0	0.0
Tmax(°C)	37.0	36.0	36.0	35.0	35.0
Tmin(°C)	27.0	26.0	26.0	25.0	25.0
RH-I(%)	80	70	70	70	70
RH-II(%)	70	40	40	40	40
Wind Speed(kmph)	9	11	11	13	10
Wind Direction(Degree)	265	247	249	260	261
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 10.8 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **TATTAYANGARPETTAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	3.0	2.0	4.0	3.0	0.0
Tmax(°C)	36.0	35.0	34.0	34.0	34.0
Tmin(°C)	26.0	25.0	24.0	24.0	24.0
RH-I(%)	80	74	74	74	74
RH-II(%)	69	44	40	40	40
Wind Speed(kmph)	8	11	11	12	11
Wind Direction(Degree)	266	252	254	256	249
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (75.0% & 47.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average wind speed is 10.6 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of THIRUVERAMBUR Block in TIRUCHIRAPPALLI(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	1.0	0.0
Tmax(°C)	37.0	36.0	36.0	35.0	35.0
Tmin(°C)	27.0	26.0	26.0	25.0	25.0
RH-I(%)	80	70	70	70	70
RH-II(%)	70	40	40	40	40
Wind Speed(kmph)	10	12	12	14	10
Wind Direction(Degree)	269	249	250	267	268
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.6 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **THOTTIAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	3.0	1.0	4.0	3.0	0.0
Tmax(°C)	36.0	35.0	35.0	34.0	34.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	80	73	73	73	73
RH-II(%)	69	43	40	40	40
Wind Speed(kmph)	9	12	12	13	12
Wind Direction(Degree)	268	255	258	259	254
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 46.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.6 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **TURAIYUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	5.0	3.0	0.0
Tmax(°C)	36.0	35.0	35.0	34.0	34.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	80	72	72	72	72
RH-II(%)	69	42	40	40	40
Wind Speed(kmph)	9	11	10	12	10
Wind Direction(Degree)	261	250	252	255	252
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 46.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average wind speed is 10.4 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **UPPILIAPURAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	3.0	2.0	5.0	4.0	0.0
Tmax(°C)	36.0	35.0	35.0	34.0	34.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	80	73	73	73	73
RH-II(%)	69	43	40	40	40
Wind Speed(kmph)	8	10	10	11	10
Wind Direction(Degree)	263	251	253	254	249
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 46.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average wind speed is 9.8 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 20-06-2023

Weather Forecast of **VAIYAMPATTI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-06-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall	2.0	2.0	4.0	4.0	0.0
Tmax(°C)	37.0	36.0	35.0	34.0	34.0
Tmin(°C)	27.0	26.0	25.0	25.0	24.0
RH-I(%)	77	71	71	71	71
RH-II(%)	64	41	40	40	40
Wind Speed(kmph)	9	11	11	12	11
Wind Direction(Degree)	266	246	257	256	253
Cloud Cover(Octa)	8	8	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 45.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average wind speed is 10.8 kmph.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.