



**Tamil Nadu Agricultural University**  
**&**  
**India Meteorological Department**  
**Agromet Advisory Bulletin for the Tiruppur District**  
**Bulletin No.081/2023 Issued on 10.10.2023**  
**(From 11<sup>th</sup> October 2023 to 15<sup>th</sup> October 2023)**  
**Issued jointly by Agro Climate Research Centre, TNAU and IMD**



**Past Weather for Tamil Nadu District**

Weather Summary for the period since the issue of last bulletin 080 (06.10.2023) for Tamil Nadu. Maximum temperature ranged from 31°C to 38°C and minimum temperature ranged from 23°C to 29°C, over the State. Kodaikanal and Uthagamandalam recorded maximum temperature ranged from 19°C to 23°C and minimum temperature ranged from 8°C to 12°C. During this period isolated rainfall was recorded in Tamil Nadu.

**Tiruppur District Past Weather**

In Tiruppur district, during 06.10.23 to 09.10.23 the Maximum temperature was recorded was 35°C and the minimum temperature was 22°C to 25°C. The morning relative humidity recorded was 75 per cent and evening relative humidity was 51 per cent. The average wind speed recorded was 11-17 km per hour and the wind direction were from South West direction.

**Weather Summary for Tiruppur district**

Past week Summary (06.10.2023 to 09.10.2023)				Ensemble weather forecast valid until 08.30 hrs of 15.10.2023					
Day-1 06/10	Day-2 07/10	Day-3 8/10	Day-4 09/10	Date	Day-1 11/10	Day-2 12/10	Day-3 13/10	Day-4 14/10	Day-5 15/10
0.0	0.0	0.1	2.7	<b>Rainfall</b>	30	25	10	5	1
35	35	35	35	<b>Max. Temp. (°C)</b>	35	35	35	34	34
22	22	23	25	<b>Mini. Temp. (°C)</b>	23	23	23	22	22
3	3	6	6	<b>Cloud cover (Octa)</b>	7	7	7	6	6
57	67	75	63	<b>RH morning (%)</b>	80	80	80	78	78
54	51	63	60	<b>RH evening (%)</b>	64	64	64	60	60
17	16	17	11	<b>Wind (kmph)</b>	12	12	12	10	10
200	200	180	340	<b>Wind Direction</b>	180	180	180	200	200

**Weather forecast for next five days: (11.10.2023 to 15.10.2023)**

According to district forecast issued by the India Meteorological Department for Tiruppur district, sky will be cloudy. Moderate to heavy rainfall is expected on next five days. Maximum temperature is expected to be around 34°C to 35°C. Minimum temperature is expected to be around 22°C to 23°C. Morning relative humidity is expected to be around 80 per cent and evening relative humidity is expected to be around 60 per cent. Average wind speed is expected to be around 10-12 km per hour and the wind direction will be from South west direction.

Tiruppur District Block Wise Rainfall(mm) for next five days													
Date	Avinashi	Dharapuram	Gudimangalam	Kangeyam	Kundadam	Madathukualm	Mulanur	Palladam	Pongalur	Tiruppur	Udumalpet	Uthukuli	Vellakovil
11-10-2023	29.0	32.0	32.0	31.0	31.0	32.0	32.0	29.0	29.0	28.0	32.0	29.0	32.0
12-10-2023	24.0	27.0	27.0	25.0	26.0	27.0	27.0	24.0	24.0	23.0	27.0	23.0	26.0
13-10-2023	10.0	17.0	19.0	11.0	14.0	22.0	17.0	11.0	11.0	8.0	22.0	9.0	14.0
14-10-2023	4.0	9.0	10.0	4.0	7.0	11.0	8.0	5.0	4.0	3.0	11.0	3.0	5.0
15-10-2023	0.0	3.0	3.0	0.0	1.0	6.0	3.0	0.0	0.0	0.0	5.0	0.0	1.0

### Agro Advisory

Crop	Stage	Advisory
General		<p>Moderate to heavy rainfall during next three days is expected with high wind speed of &gt;10 km/hr in western zone districts.</p> <p>Areas along the Western Ghats may receive heavy rainfall.</p> <p>Provide adequate drainage and harvest the excess water to farm ponds</p> <p>With the receipt of anticipated rainfall dry lands may be prepared and sown with North East Monsoon crops such millets and pulses.</p> <p>Prevailing cloud cover with high relative humidity leads to less water and nutrient absorption. Hence nitrogenous fertilizers may be applied as slow release form like neem coated urea to get more nutrient efficiency.</p> <p>Postpone fertilizer application and spraying operations.</p>
Sorghum	Sowing	To utilize the expected rainfall, premonsoon sowing of millets maybe taken up in rainfed.
Sugarcane	Vegetative	Since rainfall with squally wind is expected, dethrash and propping in five months old sugarcane crop is recommended against the lodging.
Banana	Above 5 months old	<p>Rainfall with wind speed of &gt;10km may cause severe damage to Banana. Provide adequate support to Banana of above 5 months old.</p> <p>Prevailing cloudy weather with high relative humidity with drizzling is favorable for the sigatoka leaf spot in turmeric hence farmers are requested to monitor the crop and spray if required chlorothalanil @ 2g per liter of water or propiconazole @ 2ml per liter of water.</p>

Tapioca	Planting	Considering the anticipated rainfall, it is best time for planting tapioca. Before planting sett should be dipped in carbendazim solution @ 1g in 1 lit water for 15 minutes.
Coconut		Basins of tree crops may be deepened to collect anticipating rainfall so as to harvest the rain water in root zone.
Animal Husbandry		Since rainfall is expected drainage in and around cattle and poultry sheds may be provided to avoid water stagnation. Further farmers are requested to safeguard the feed and fodder material from rain soaking. Weather is conducive for mastitis disease in milch animals. Hence, clean the udder with 1% potassium permanganate before and after milking. De worming in cattle's may be advised.

**SMS advisory**

Basins of tree crops may be deepened to collect anticipating rainfall so as to harvest the rain water in root zone.

**Professor and Head  
Principal Nodal Officer (GKMS)  
Agro Climate Research Centre**