



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **ANDANALLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	28.0	3.0	6.0	13.0	10.0
Tmax(°C)	31.0	31.0	31.0	30.0	30.0
Tmin(°C)	23.0	23.0	23.0	22.0	22.0
RH-I(%)	95	95	95	92	92
RH-II(%)	77	77	77	73	73
Wind Speed(kmph)	9	9	9	7	7
Wind Direction(Degree)	88	88	88	108	108
Cloud Cover(Octa)	8	8	8	6	6

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 75.0%), 31.0°C and 23°C respectively. The rainy clouds may appear. Expected average wind speed is 8.2kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **LALGUDI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	13.0	2.0	2.0	4.0	3.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	95	95	95	92	92
RH-II(%)	76	76	76	74	74
Wind Speed(kmph)	15	15	15	12	12
Wind Direction(Degree)	89	89	89	109	109
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 75.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 13.8 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **MANACHANELLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	13.0	2.0	2.0	4.0	3.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	95	95	95	92	92
RH-II(%)	76	76	76	74	74
Wind Speed(kmph)	15	15	15	12	12
Wind Direction(Degree)	89	89	89	109	109
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 75.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 13.8 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **MANAPPARAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	17.0	1.0	4.0	7.0	6.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	22.0	22.0
RH-I(%)	95	95	95	92	92
RH-II(%)	75	75	75	73	73
Wind Speed(kmph)	13	13	13	10	10
Wind Direction(Degree)	87	87	87	107	107
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 74.0%), 32.0°C and 23°C respectively. The rainy clouds may appear. Expected average wind speed is 11.8 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **MANIKANDAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	13.0	2.0	2.0	4.0	3.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	95	95	95	92	92
RH-II(%)	76	76	76	74	74
Wind Speed(kmph)	15	15	15	12	12
Wind Direction(Degree)	90	90	90	110	110
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 75.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 13.8 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **MARUNGAPURI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	14.0	1.0	5.0	9.0	6.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	94	94	94	91	91
RH-II(%)	73	73	73	71	71
Wind Speed(kmph)	12	12	12	10	10
Wind Direction(Degree)	79	79	79	99	99
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (93.0% & 72.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 11.2 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **MUSIRI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	14.0	1.0	4.0	7.0	5.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	94	94	94	91	91
RH-II(%)	74	74	74	72	72
Wind Speed(kmph)	13	13	13	10	10
Wind Direction(Degree)	82	82	82	102	102
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (93.0% & 73.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 11.8 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **PULLAMBADI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	12.0	1.0	2.0	4.0	3.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	95	95	95	92	92
RH-II(%)	76	76	76	74	74
Wind Speed(kmph)	14	14	14	12	12
Wind Direction(Degree)	88	88	88	108	108
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 75.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 13.2 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **TATTAYYANGARPETTAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	13.0	2.0	4.0	8.0	5.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	93	93	93	91	91
RH-II(%)	72	72	72	70	70
Wind Speed(kmph)	11	11	11	9	9
Wind Direction(Degree)	75	75	75	95	95
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (92.0% & 71.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 10.2 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **THIRUVERAMBUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	13.0	2.0	2.0	4.0	3.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	95	95	95	92	92
RH-II(%)	76	76	76	74	74
Wind Speed(kmph)	15	15	15	12	12
Wind Direction(Degree)	90	90	90	110	110
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 75.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 13.8 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **THOTTIAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	13.0	1.0	5.0	9.0	6.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	94	94	94	91	91
RH-II(%)	73	73	73	70	70
Wind Speed(kmph)	12	12	12	10	10
Wind Direction(Degree)	78	78	78	98	98
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (93.0% & 72.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 11.2kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **TURAIYUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
<b>Rainfall</b>	11.0	0.0	2.0	5.0	3.0
<b>Tmax(°C)</b>	32.0	32.0	32.0	31.0	31.0
<b>Tmin(°C)</b>	24.0	24.0	24.0	23.0	23.0
<b>RH-I(%)</b>	94	94	94	91	91
<b>RH-II(%)</b>	74	74	74	72	72
<b>Wind Speed(kmph)</b>	13	13	13	11	11
<b>Wind Direction(Degree)</b>	83	83	83	103	103
<b>Cloud Cover(Octa)</b>	8	8	8	7	7

### **Weather Summary/Alert:**

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (93.0% & 73.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 12.2 kmph. The Wind is expected to flow in East direction.

### **General Advisory:**

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **UPPILIAPURAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	12.0	1.0	3.0	7.0	4.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	23.0	23.0
RH-I(%)	93	93	93	91	91
RH-II(%)	73	73	73	70	70
Wind Speed(kmph)	12	12	12	9	9
Wind Direction(Degree)	77	77	77	97	97
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (92.0% & 72.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 10.8 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the boy on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



# Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin  
(A Joint Initiative of IMD & ICAR)



## Agromet Advisory Bulletin

Date : 17-10-2023

Weather Forecast of **VAIYAMPATTI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-10-17(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-10-18	2023-10-19	2023-10-20	2023-10-21	2023-10-22
Rainfall	21.0	2.0	5.0	9.0	8.0
Tmax(°C)	32.0	32.0	32.0	31.0	31.0
Tmin(°C)	24.0	24.0	24.0	22.0	22.0
RH-I(%)	95	95	95	92	92
RH-II(%)	76	76	76	73	73
Wind Speed(kmph)	11	11	11	9	9
Wind Direction(Degree)	86	86	86	106	106
Cloud Cover(Octa)	8	8	8	7	7

### Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (94.0% & 75.0%), 32.0°C and 24°C respectively. The rainy clouds may appear. Expected average wind speed is 10.2 kmph. The Wind is expected to flow in East direction.

### General Advisory:

Tamilnadu's average rainfall is likely to be above normal during this week

### SMS Advisory:

To know the weather forecast and agro advisory bulletins, download MEGHDOOT app and use it wisely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.

### Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	The dairy animals should be milked completely within 5 to 8 minutes. Since the oxytocin hormone release will be only during this period. It will help for preventing mastitis infection in cow.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.