



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of ANDANALLUR Block in TIRUCHIRAPPALLI(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	1.0	2.0	8.0	8.0	10.0
Tmax(°C)	37.0	36.0	35.0	34.0	34.0
Tmin(°C)	26.0	25.0	24.0	24.0	23.0
RH-I(%)	71	71	77	77	77
RH-II(%)	40	47	51	48	57
Wind Speed(kmph)	11	12	12	13	15
Wind Direction(Degree)	259	251	251	252	247
Cloud Cover(Octa)	7	7	7	8	7

Weather Summary/Alert:

Rainfall is expected for 5 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (75.0% & 49.0%), 35.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 12.6 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **LALGUDI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	1.0	0.0	1.0
Tmax(°C)	36.0	36.0	35.0	35.0	35.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	70	71	71	71	71
RH-II(%)	40	40	50	41	50
Wind Speed(kmph)	14	16	15	17	18
Wind Direction(Degree)	260	264	264	265	246
Cloud Cover(Octa)	8	6	6	7	7

Weather Summary/Alert:

Rainfall is expected for 2 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (71.0% & 44.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 16.0 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **MANACHANELLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	1.0	0.0	1.0
Tmax(°C)	36.0	36.0	35.0	35.0	35.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	70	71	71	71	71
RH-II(%)	40	40	50	41	50
Wind Speed(kmph)	14	16	15	16	18
Wind Direction(Degree)	263	266	266	266	247
Cloud Cover(Octa)	8	6	6	7	7

Weather Summary/Alert:

Rainfall is expected for 2 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (71.0% & 44.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 15.8 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **MANAPPARAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	2.0	1.0	3.0
Tmax(°C)	36.0	36.0	35.0	35.0	35.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	71	72	73	73	73
RH-II(%)	40	42	51	44	52
Wind Speed(kmph)	13	15	15	16	18
Wind Direction(Degree)	253	257	257	258	245
Cloud Cover(Octa)	8	6	6	7	7

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 15.4 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew
Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **MANIKANDAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	1.0	0.0	1.0
Tmax(°C)	36.0	36.0	35.0	35.0	35.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	70	70	70	70	70
RH-II(%)	40	40	50	40	50
Wind Speed(kmph)	14	16	14	16	18
Wind Direction(Degree)	268	269	269	269	249
Cloud Cover(Octa)	8	6	6	7	7

Weather Summary/Alert:

Rainfall is expected for 2 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (70.0% & 44.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 15.6 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **MARUNGAPURI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	2.0	1.0	1.0
Tmax(°C)	36.0	35.0	34.0	34.0	34.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	73	76	76	76	76
RH-II(%)	40	43	53	49	53
Wind Speed(kmph)	15	17	16	17	20
Wind Direction(Degree)	258	260	260	265	247
Cloud Cover(Octa)	8	6	7	7	6

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (75.0% & 48.0%), 35.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 17.0 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **MUSIRI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	2.0	1.0	1.0
Tmax(°C)	36.0	35.0	35.0	34.0	34.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	72	74	75	75	75
RH-II(%)	40	43	52	47	53
Wind Speed(kmph)	14	16	16	17	19
Wind Direction(Degree)	257	260	260	264	246
Cloud Cover(Octa)	8	6	7	7	7

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 47.0%), 35.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 16.4 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of PULLAMBADI Block in TIRUCHIRAPPALLI(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	1.0	0.0	1.0
Tmax(°C)	36.0	36.0	35.0	35.0	35.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	70	71	71	71	71
RH-II(%)	40	41	50	41	51
Wind Speed(kmph)	14	16	15	17	18
Wind Direction(Degree)	256	262	262	262	245
Cloud Cover(Octa)	8	6	6	7	7

Weather Summary/Alert:

Rainfall is expected for 2 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (71.0% & 45.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 16.0 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of TATTAYANGARPETTAI Block in TIRUCHIRAPPALLI(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	3.0	1.0	1.0
Tmax(°C)	35.0	35.0	34.0	34.0	34.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	74	77	78	78	78
RH-II(%)	40	44	54	51	54
Wind Speed(kmph)	14	16	16	18	20
Wind Direction(Degree)	253	257	257	264	246
Cloud Cover(Octa)	8	6	7	7	6

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (77.0% & 49.0%), 34.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 16.8 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of THIRUVERAMBUR Block in TIRUCHIRAPPALLI(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	1.0	0.0	1.0
Tmax(°C)	36.0	36.0	35.0	35.0	35.0
Tmin(°C)	26.0	25.0	25.0	24.0	24.0
RH-I(%)	70	70	70	70	70
RH-II(%)	40	40	50	40	50
Wind Speed(kmph)	14	16	14	16	18
Wind Direction(Degree)	266	268	268	268	249
Cloud Cover(Octa)	8	6	6	7	7

Weather Summary/Alert:

Rainfall is expected for 2 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (70.0% & 44.0%), 35.0°C and 25.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 15.6 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **THOTTIAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	2.0	1.0	1.0
Tmax(°C)	35.0	35.0	34.0	34.0	34.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	73	76	77	77	77
RH-II(%)	40	44	53	50	54
Wind Speed(kmph)	15	17	16	17	20
Wind Direction(Degree)	258	260	260	266	248
Cloud Cover(Octa)	8	6	7	7	6

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 48.0%), 34.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 17.0 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **TURAIYUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	2.0	1.0	1.0
Tmax(°C)	36.0	35.0	35.0	34.0	34.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	72	74	74	74	74
RH-II(%)	40	42	52	46	52
Wind Speed(kmph)	14	16	16	18	19
Wind Direction(Degree)	247	256	256	259	241
Cloud Cover(Octa)	8	6	6	7	7

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 46.0%), 35.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 16.6 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **UPPILIAPURAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	2.0	1.0	1.0
Tmax(°C)	35.0	35.0	34.0	34.0	34.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	73	76	77	77	77
RH-II(%)	40	44	53	50	54
Wind Speed(kmph)	14	16	16	18	20
Wind Direction(Degree)	248	255	255	261	243
Cloud Cover(Octa)	8	6	7	7	6

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 48.0%), 34.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 16.8 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 26-09-2023

Weather Forecast of **VAIYAMPATTI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-27	2023-09-28	2023-09-29	2023-09-30	2023-10-01
Rainfall	0.0	0.0	4.0	4.0	5.0
Tmax(°C)	36.0	36.0	35.0	34.0	34.0
Tmin(°C)	26.0	25.0	24.0	24.0	23.0
RH-I(%)	71	72	75	75	75
RH-II(%)	40	44	51	46	54
Wind Speed(kmph)	13	14	14	15	17
Wind Direction(Degree)	255	255	255	256	246
Cloud Cover(Octa)	7	7	7	7	7

Weather Summary/Alert:

Rainfall is expected for 3 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 47.0%), 35.0°C and 24.0°C respectively. The rainy clouds may appear. Expected average and maximum wind speed respectively is 14.6 kmph. The wind will be blow from west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (27.09.2023 to 03.10.2023) From 4.82 mm to 7.52 mm.

SMS Advisory:

By utilize the opt weather, transplanting of samba rice may be continued. Due to high wind speed tip drying of leaves is observed in rice crop by collision of leaves not by disease. No need to spray.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Land preparation for samba season may be taken up using the expected light rainfall. Before sowing treat the seeds with carbendzim 2g/kg.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre) available at KVK, Sirugamani, Trichy – 115. Contact: 6381186765.
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy wind/gust speed will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.

Horticulture(Varieties)	Horticulture Specific Advisory
CHILLI	Due to prevailing weather the Thrips incidence may occur in Chillies. To control, Spray Imidacloprid 17.8 SL 3 ml/10 litre.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
GOAT	Pneumonia in goats – Fever, Respiratory distress, Mucous discharge from nostril, Reduced feed intake & Weight gain and Cough. Remedial measures: Provide clean water and ventilated house.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Due to high wind speed feed material of poultries may be drifted hence hanging of gunny bags at the borders of the shed to reduce the wind speed.

Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Light to moderate rainfall expecting forthcoming days, so farmers are advised to harvest the mature crop and maintain 8-12% moisture content for safe storage.