



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **ANDANALLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	11.0	2.0	5.0	8.0	10.0
Tmax(°C)	36.0	36.0	35.0	35.0	35.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	81	71	71	80	80
RH-II(%)	47	50	50	50	51
Wind Speed(kmph)	8	10	8	8	9
Wind Direction(Degree)	236	273	272	236	284
Cloud Cover(Octa)	7	6	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 42.0%), 33.0°C and 21.0°C respectively. The clear sky may appear. Expected average wind speed is 6.6 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **LALGUDI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30
IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	7.0	0.0	1.0	10.0	13.0
Tmax(°C)	35.0	35.0	34.0	34.0	33.0
Tmin(°C)	25.0	23.0	24.0	23.0	23.0
RH-I(%)	80	70	70	80	80
RH-II(%)	40	50	50	50	51
Wind Speed(kmph)	12	14	13	12	15
Wind Direction(Degree)	202	261	243	202	285
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (75.0% & 41.0%), 36.0°C and 25.0°C respectively. The clear sky may appear. Expected average wind speed is 12.6 kmph. The Wind is expected to flow west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **MANACHANELLUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	7.0	0.0	1.0	10.0	14.0
Tmax(°C)	35.0	35.0	34.0	34.0	33.0
Tmin(°C)	25.0	23.0	24.0	23.0	23.0
RH-I(%)	80	70	70	80	80
RH-II(%)	40	50	50	50	51
Wind Speed(kmph)	12	14	13	12	15
Wind Direction(Degree)	203	264	246	203	287
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 40.0%), 36.0°C and 25.0°C respectively. The clear sky may appear. Expected average wind speed is 12.2 kmph. The Wind is expected to flow west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **MANAPPARAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	8.0	1.0	2.0	8.0	10.0
Tmax(°C)	35.0	35.0	34.0	34.0	33.0
Tmin(°C)	25.0	23.0	24.0	23.0	23.0
RH-I(%)	81	71	71	80	80
RH-II(%)	42	50	50	50	52
Wind Speed(kmph)	11	12	11	11	12
Wind Direction(Degree)	217	258	252	217	280
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (73.0% & 41.0%), 35.0°C and 24.0°C respectively. The clear sky may appear. Expected average wind speed is 10.0 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **MANIKANDAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	8.0	0.0	1.0	11.0	15.0
Tmax(°C)	35.0	35.0	34.0	34.0	33.0
Tmin(°C)	25.0	23.0	24.0	23.0	23.0
RH-I(%)	80	70	70	80	80
RH-II(%)	40	50	50	50	50
Wind Speed(kmph)	12	14	14	12	16
Wind Direction(Degree)	200	269	249	200	289
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 410%), 36.0°C and 25.0°C respectively. The clear sky may appear. Expected average wind speed is 13 kmph. The Wind is expected to flow west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **MARUNGAPURI Block** in **TIRUCHIRAPPALLI(Tamil Nadu)** Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	10.0	1.0	3.0	7.0	9.0
Tmax(°C)	34.0	34.0	33.0	33.0	32.0
Tmin(°C)	24.0	23.0	23.0	22.0	22.0
RH-I(%)	83	73	73	80	80
RH-II(%)	43	50	50	50	56
Wind Speed(kmph)	11	13	11	10	12
Wind Direction(Degree)	233	264	265	233	294
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (73.0% & 38.0%), 36.0°C and 24.0°C respectively. The clear sky may appear. Expected average wind speed is 10.4 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **MUSIRI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	9.0	1.0	2.0	8.0	10.0
Tmax(°C)	34.0	34.0	33.0	33.0	33.0
Tmin(°C)	24.0	23.0	23.0	22.0	22.0
RH-I(%)	82	72	72	80	80
RH-II(%)	43	50	50	50	54
Wind Speed(kmph)	12	13	12	11	13
Wind Direction(Degree)	224	262	257	224	290
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 38.0%), 36.0°C and 24.0°C respectively. The clear sky may appear. Expected average wind speed is 10.6 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **PULLAMBADI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	6.0	0.0	1.0	9.0	12.0
Tmax(°C)	35.0	35.0	34.0	34.0	33.0
Tmin(°C)	25.0	23.0	24.0	23.0	23.0
RH-I(%)	80	70	70	80	80
RH-II(%)	41	50	50	50	51
Wind Speed(kmph)	12	13	13	12	14
Wind Direction(Degree)	203	257	239	203	282
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 4 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 41.0%), 36.0°C and 25.0°C respectively. The clear sky may appear. Expected average wind speed is 12.8 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **TATTAYYANGARPETTAI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	10.0	2.0	4.0	8.0	10.0
Tmax(°C)	34.0	34.0	33.0	33.0	32.0
Tmin(°C)	24.0	22.0	23.0	22.0	22.0
RH-I(%)	84	74	74	80	80
RH-II(%)	44	50	50	50	57
Wind Speed(kmph)	11	13	11	10	12
Wind Direction(Degree)	229	261	256	229	295
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (79.0% & 42.0%), 36.0°C and 24.0°C respectively. The clear sky may appear. Expected average wind speed is 9.2 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **THIRUVERAMBUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	7.0	0.0	1.0	10.0	15.0
Tmax(°C)	35.0	35.0	34.0	34.0	33.0
Tmin(°C)	25.0	23.0	24.0	23.0	23.0
RH-I(%)	80	70	70	80	80
RH-II(%)	40	50	50	50	50
Wind Speed(kmph)	12	14	14	12	16
Wind Direction(Degree)	201	267	248	201	288
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (74.0% & 41.0%), 35.0°C and 25.0°C respectively. The clear sky may appear. Expected average wind speed is 13.0 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **THOTTIAM** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till
08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	10.0	1.0	3.0	7.0	9.0
Tmax(°C)	34.0	34.0	33.0	33.0	32.0
Tmin(°C)	24.0	22.0	23.0	22.0	22.0
RH-I(%)	83	73	73	80	80
RH-II(%)	44	50	50	50	56
Wind Speed(kmph)	11	13	11	10	12
Wind Direction(Degree)	236	265	267	236	295
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (73.0% & 38.0%), 36.0°C and 24.0°C respectively. The clear sky may appear. Expected average wind speed is 10.4 kmph. The Wind is expected to flow in west direction

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **TURAIYUR** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30
IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	7.0	1.0	2.0	9.0	10.0
Tmax(°C)	35.0	34.0	33.0	33.0	33.0
Tmin(°C)	24.0	23.0	23.0	23.0	23.0
RH-I(%)	82	72	72	80	80
RH-II(%)	42	50	50	50	54
Wind Speed(kmph)	12	13	12	12	13
Wind Direction(Degree)	215	251	237	215	284
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (79.0% & 42.0%), 36.0°C and 25.0°C respectively. The clear sky may appear. Expected average wind speed is 10 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **UPPILAPURAM Block** in **TIRUCHIRAPPALLI(Tamil Nadu)** Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	9.0	1.0	3.0	9.0	10.0
Tmax(°C)	34.0	34.0	33.0	33.0	32.0
Tmin(°C)	24.0	22.0	23.0	22.0	22.0
RH-I(%)	83	73	73	80	80
RH-II(%)	44	50	50	50	56
Wind Speed(kmph)	12	13	11	11	12
Wind Direction(Degree)	224	255	246	224	291
Cloud Cover(Octa)	7	7	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (85.0% & 48.0%), 36.0°C and 24.0°C respectively. The clear sky may appear. Expected average wind speed is 7.6 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.



Gramin Krishi Mausam Sew

Experimental Block Level Agromet Advisory Bulletin
(A Joint Initiative of IMD & ICAR)



Agromet Advisory Bulletin

Date : 22-09-2023

Weather Forecast of **VAIVAMPATTI** Block in **TIRUCHIRAPPALLI**(Tamil Nadu) Issued On :2023-09-22(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-09-23	2023-09-24	2023-09-25	2023-09-26	2023-09-27
Rainfall	9.0	1.0	3.0	8.0	10.0
Tmax(°C)	35.0	35.0	34.0	34.0	34.0
Tmin(°C)	25.0	24.0	24.0	23.0	23.0
RH-I(%)	81	71	71	80	80
RH-II(%)	44	50	50	50	52
Wind Speed(kmph)	10	12	10	9	11
Wind Direction(Degree)	226	263	262	226	282
Cloud Cover(Octa)	7	6	8	8	8

Weather Summary/Alert:

Rainfall is expected for 5 day in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (76.0% & 44.0%), 35.0°C and 23.0°C respectively. The clear sky may appear. Expected average wind speed is 8.4 kmph. The Wind is expected to flow in west direction.

General Advisory:

Tamilnadu's average rainfall is likely to be Above normal during this week

SMS Advisory:

To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6-month interval. Coconut tonic (Rs. 310 / litre).

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Due to prevailing weather Green Leafhopper infestation may occur in paddy at nursery stage. To control thrips infestation spray Phosphamidon 40 SL 50 m
SUNFLOWER	In Sunflower due to prevailing condition there is a chance of occurrence of Wilt diseases. To Control, Seed treatment with Captan or Carboxin 3g/kg and drenching the base of the plant with Carbendazim 1g/lit.
GROUNDNUT	In Groundnut due to prevailing condition there is a chance of occurrence of Leaf Spot. To Control, spray Spray 10% Calotropis leaf extract.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	In onion due to prevailing condition there is a chance of Thrips attack. To Control, Spray insecticides - profenofos @ 0.05%.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
COW	To avoid mastitis disease in milching animals use potassium permanganate for cleaning the udder before and after milking.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Native poultry reared under integrated method in case infested with lice, must be given medicated bath. A sponge dipped in 1 ml of butox mixed in one litre of water could be rubbed all over the body on a bright sunny day. Care must be exercised to avoid eyes ear lobe and mouth.